

Scale 1:50

CROSS SECTION No.9

Right Hand Verge: NO VERGE

<u>Turbine Section</u> on Trailer Approximate Location of — Telecom Pole _ DOUBLE SURFACE DRESSING TO CLAUSE 919 - ROAD OVERLAY CAPPING MATERIAL LAYER WET MIX CONFORMING TO TYPE 6F1 MACADAM TO IN ACCORDANCE WITH CLAUSE 806 / COLD MIX MACADAM TABLE 6/2 OF THE NRA SPECIFICATION FOR ROAD SINGLE LAYER OF TERRAM WORKS COMPACTED IN 1000 NON-WOVEN GEOFABRIC 250mm Tk. LAYERS -(OR SIMILAR APPROVED) & SINGLE LAYER OF GEOGRID SS20 (SIZE TO BE CONFIRMED **FURTHER TO SITE** INVESTIGATIONS) Dry 2400 1100 1000 3000 - Varies Drain **Existing Road:** Left Hand Verge Left Hand Verge Road Widening Tarmac Surface **CROSS SECTION No.9 CROSS SECTION** 3000

- 1. FIGURED DIMENSIONS ONLY TO BE TAKEN FROM THIS DRAWING.
- 2. ALL DRAWINGS TO BE CHECKED BY THE CONTRACTOR ON SITE. 3. ENGINEER TO BE INFORMED OF ANY DISCREPANCIES BEFORE
 - ANY WORK COMMENCES.
 - 4. ALL LEVELS REFER TO ORDNANCE DATUM (MALIN HEAD).

LEGEND:

Landholding Outline Shown Thus...

Base Shown Thus..

Proposed Site Outline Shown Thus... Proposed WTG & Hardstand & Turbine

Existing Track Shown Thus...

Existing Track to Be Upgraded Shown Thus...

Proposed Site Road Shown Thus...

DG 04/14 by Date **Further Information** Modifications

GREEN WIND ENERGY GROUP.

YELLOW RIVER WIND FARM, COUNTY OFFALY.

HAUL ROUTE ASSESSMENT

HAUL ROUTE-ROAD CROSS SECTION No.9

1:5,000 & 1:50@ A3

Surveyed Prepared By Checked D. Guilfoyle D. Kiely June 2013

© COPYRIGHT OF JENNINGS O'DONOVAN & PARTNERS CONSULTING ENGINEERS, FINISKLIN, SLIGO,

IRELAND. TEL. (0035371) 9161416. FAX. (0035371) 9161080. Email. info@jodireland.com Web. www.jodireland.com



Job Ref: Drawing Ref: Revision: 4909 - HRA - 109 A